

Supported conversations

Speech and Language Therapy department

How to reduce frustration and improve communication for someone with aphasia



Supported conversations – Aphasia v1.0

Approved by: NHS Lothian Patient Information Jul 25

Review date: Jul 28

Supported understanding

Take your time

Repeat or re-phrase key words or phrases

Use simple meaningful gestures

Write key words to clarify and offer choices. Use legible clear print

Use simple clear drawings alongside speech and writing

Use appropriate objects, photographs, alphabet boards etc. to support understanding.

| а | b | С | d | е | f | g |
|-------|--------|---|---|---|---|---|
| h | i | j | k | 1 | m | n |
| 0 | р | q | r | S | t | u |
| space | delete | V | w | х | у | Z |
| no | yes | | | | | |

Supporting expression

Give them time

Encourage thinking of another word or describe it instead

Encourage them to use key words

Use yes/no questions to confirm you understand

Respond to gesture, mime and pointing

Use writing and drawing if they are able to do this

Make use of maps, photos, calendars, communication books, alphabet boards etc.

For more information visit the link or scan the QR code below with your smart phone or tablet camera to watch our video:

https://vimeo.com/847042268/e16d8311e6



Speech and Language Therapy department

Central Edinburgh: 0131 537 9577

East Lothian: 01620 642 704

Mid Lothian: 0131 454 9544

West Lothian: 01506 524 191